CSE3302 Programming Language Project Specification

Course Instructor: Kenny Zhu   `kenny.zhu@uta.edu`
Teaching Assistant: Peter (Weiran) Zhang   `wxz9630@mavs.uta.edu`

Due Date: April 27, 2026, 11:59 PM

1 Introduction

In this project, you are required to implement an *interpreter* for the programming language SimPL (pronounced *simple*). SimPL is a simplified dialect of ML, which can be used for both *functional* and *imperative* programming. This specification presents a definition of SimPL and provides guidelines to help you implement the interpreter.

2 Lexical Definition

The lexical definition of SimPL consists of four aspects: comments, atoms, keywords, and operators.

2.1 Comments

- Comments in SimPL are enclosed by pairs of (* and *).

- Comments are nestable, e.g. (* (* *) *) is a valid comment, while (* (* *) is invalid.

- A comment can spread over multiple lines.

- Comments and whitespaces (spaces, tabs, newlines) should be ignored and not evaluated.

2.2 Atoms

- Atoms are either integer literals or identifiers.

- Integer literals are matched by regular expression [0-9]+.

- Integer literals only represent non-negative integers less than 2^{31}.

- Integer literals are in decimal format, and leading zeros are insignificant, e.g. both 0123 and 000123 represent the integer 123.

- Identifiers are matched by regular expression [_a-z][_a-zA-Z0-9']*.

2.3 Keywords

All the following identifiers are keywords. Related keywords are grouped in the same line for better readability. Keywords cannot be bound to anything.

- nil

- ref

- fn rec

- `let in end`

- `if then else`

- `while do`

- `true false`

- `not andalso orelse`

2.4 Operators

- `+ - * / % ~`

- `= <> < <= > >=`

- `:: () =>`

- `:= !`

- `, ; ( )`

3 Syntax

- All SimPL programs are expressions. **Exp** is the set of all expressions.

- Names are non-keyword identifiers. **Var** is the set of all names.

- Expressions, names, and integer literals are denoted by meta variables e, x, and n.

- Unary operator $uop \in \{\texttt{\~{}}, \texttt{not}, \texttt{!}\}$

- Binary operator $bop \in \{\texttt{+}, \texttt{-}, \texttt{*}, \texttt{/}, \texttt{\%}, \texttt{=}, \texttt{<>}, \texttt{<}, \texttt{<=}, \texttt{>}, \texttt{>=}, \texttt{andalso}, \texttt{orelse}, \texttt{::}, \texttt{:=}, \texttt{;}\}$

Expression e ::=	n	integer literal
|	x	name
|	`true`	true value
|	`false`	false value
|	`nil`	empty list
|	`ref` e	reference creation
|	`fn` x `=>` e	function
|	`rec` x `=>` e	recursion
|	(e, e)	pair construction
|	$uop\ e$	unary operation
|	$e\ bop\ e$	binary operation
|	$e\ e$	application
|	`let` x `=` e `in` e `end`	binding
|	`if` e `then` e `else` e	conditional
|	`while` e `do` e	loop
|	`()`	unit
|	(e)	grouping

3.1 Operator Precedence

Priority	Operator(s)	Associativity
1	`;`	left
2	`:=`	none
3	`orelse`	right
4	`andalso`	right
5	`=  <>  <  <=  >  >=`	none
6	`::`	right
7	`+  -`	left
8	`*  /  %`	left
9	(application)	left
10	`~  not  !`	right

4 Typing

4.1 Definition

$$
\begin{array}{llll}
\text{Arbitrary type } t & ::= & \texttt{int} & \\
& | & \texttt{bool} & \\
& | & \texttt{unit} & \\
& | & t \,\texttt{list} & \\
& | & t \,\texttt{ref} & \\
& | & t \times t & \\
& | & t \rightarrow t &
\end{array}
\qquad
\begin{array}{lll}
\text{Equality type } \alpha & ::= & \texttt{int} \\
& | & \texttt{bool} \\
& | & \alpha \,\texttt{list} \\
& | & t \,\texttt{ref} \\
& | & \alpha \times \alpha
\end{array}
$$

The set of all types **Typ** is the smallest set satisfying the following rules.

- $\texttt{int} \in$ **Typ**, $\texttt{bool} \in$ **Typ**, $\texttt{unit} \in$ **Typ**

- $\forall t \in$ **Typ**, $t \,\texttt{list} \in$ **Typ**

- $\forall t \in$ **Typ**, $t \,\texttt{ref} \in$ **Typ**

- $\forall t_1, t_2 \in$ **Typ**, $t_1 \times t_2 \in$ **Typ**

- $\forall t_1, t_2 \in$ **Typ**, $t_1 \rightarrow t_2 \in$ **Typ**

Type environment $\Gamma : \textbf{Var} \rightarrow \textbf{Typ}$ is a mapping from names to arbitrary types. The replacement of x with t in Γ, i.e. $\Gamma[x : t]$, is defined as follows.

$$
\Gamma[x : t](y) = \begin{cases} t & \text{if } x = y \\ \Gamma(y) & \text{otherwise} \end{cases}
$$

Typing rules:

$$\frac{}{\Gamma \vdash n : \texttt{int}} \quad \text{(T-INT)}$$

$$\frac{\Gamma(x) = t}{\Gamma \vdash x : t} \quad \text{(T-NAME)}$$

$$\frac{\Gamma[x : t_1] \vdash e : t_2}{\Gamma \vdash \texttt{fn } x \Rightarrow e : t_1 \to t_2} \quad \text{(T-FN)}$$

$$\frac{\Gamma[x : t] \vdash e : t}{\Gamma \vdash \texttt{rec } x \Rightarrow e : t} \quad \text{(T-REC)}$$

$$\frac{}{\Gamma \vdash \texttt{true} : \texttt{bool}} \quad \text{(T-TRUE)}$$

$$\frac{}{\Gamma \vdash \texttt{false} : \texttt{bool}} \quad \text{(T-FALSE)}$$

$$\frac{\Gamma \vdash e : \texttt{int}}{\Gamma \vdash \texttt{\~{}} e : \texttt{int}} \quad \text{(T-NEG)}$$

$$\frac{\Gamma \vdash e : \texttt{bool}}{\Gamma \vdash \texttt{not } e : \texttt{bool}} \quad \text{(T-NOT)}$$

$$\frac{}{\Gamma \vdash \texttt{nil} : \alpha \texttt{ list}} \quad \text{(T-NIL)}$$

$$\frac{}{\Gamma \vdash \texttt{()} : \texttt{unit}} \quad \text{(T-UNIT)}$$

$$\frac{\Gamma \vdash e : t}{\Gamma \vdash (e) : t} \quad \text{(T-GROUP)}$$

$$\frac{\Gamma \vdash e_1 : unit \quad \Gamma \vdash e_2 : t_2}{\Gamma \vdash e_1 ; e_2 : t_2} \quad \text{(T-SEQ)}$$

$$\frac{\Gamma \vdash e : t}{\Gamma \vdash \texttt{ref } e : t \texttt{ ref}} \quad \text{(T-REF)}$$

$$\frac{\Gamma \vdash e_1 : t \texttt{ ref} \quad \Gamma \vdash e_2 : t}{\Gamma \vdash e_1 := e_2 : \texttt{unit}} \quad \text{(T-ASSIGN)}$$

$$\frac{\Gamma \vdash e : t \texttt{ ref}}{\Gamma \vdash !e : t} \quad \text{(T-DEREF)}$$

$$\frac{\Gamma \vdash e_1 : t_1 \quad \Gamma \vdash e_2 : t_2}{\Gamma \vdash (e_1, e_2) : t_1 \times t_2} \quad \text{(T-PAIR)}$$

$$\frac{\Gamma \vdash e_1 : t \quad \Gamma \vdash e_2 : t \texttt{ list}}{\Gamma \vdash e_1 :: e_2 : t \texttt{ list}} \quad \text{(T-CONS)}$$

$$\frac{\Gamma \vdash e_1 : t_2 \to t_1 \quad \Gamma \vdash e_2 : t_2}{\Gamma \vdash e_1 \, e_2 : t_1} \quad \text{(T-APP)}$$

$$\frac{\Gamma \vdash e_1 : t_1 \quad \Gamma[x : t_1] \vdash e_2 : t_2}{\Gamma \vdash \texttt{let } x = e_1 \texttt{ in } e_2 \texttt{ end} : t_2} \quad \text{(T-LET)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{int} \quad \Gamma \vdash e_2 : \texttt{int} \quad bop \in \{+,-,*,/,\%\}}{\Gamma \vdash e_1 \, bop \, e_2 : \texttt{int}} \quad \text{(T-ARITH)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{int} \quad \Gamma \vdash e_2 : \texttt{int} \quad bop \in \{<,<=,>,>=\}}{\Gamma \vdash e_1 \, bop \, e_2 : \texttt{bool}} \quad \text{(T-REL)}$$

$$\frac{\Gamma \vdash e_1 : \alpha \quad \Gamma \vdash e_2 : \alpha \quad bop \in \{=,<>\}}{\Gamma \vdash e_1 \, bop \, e_2 : \texttt{bool}} \quad \text{(T-EQ)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{bool} \quad \Gamma \vdash e_2 : \texttt{bool}}{\Gamma \vdash e_1 \texttt{ andalso } e_2 : \texttt{bool}} \quad \text{(T-ANDALSO)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{bool} \quad \Gamma \vdash e_2 : \texttt{bool}}{\Gamma \vdash e_1 \texttt{ orelse } e_2 : \texttt{bool}} \quad \text{(T-ORELSE)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{bool} \quad \Gamma \vdash e_2 : t \quad \Gamma \vdash e_3 : t}{\Gamma \vdash \texttt{if } e_1 \texttt{ then } e_2 \texttt{ else } e_3 : t} \quad \text{(T-COND)}$$

$$\frac{\Gamma \vdash e_1 : \texttt{bool} \quad \Gamma \vdash e_2 : unit}{\Gamma \vdash \texttt{while } e_1 \texttt{ do } e_2 : \texttt{unit}} \quad \text{(T-LOOP)}$$

4.2 Polymorphism

There is no explicit type annotations in SimPL. So principal type inference is necessary.

1. Some constraint typing rules:

$$\frac{}{\Gamma \vdash n : \texttt{int}, \{\}} \quad \text{(CT-INT)}$$

$$\frac{\Gamma \vdash e_1 : t_1, q_1 \quad \Gamma \vdash e_2 : t_2, q_2 \quad bop \in \{+,-,*,/,\%\}}{\Gamma \vdash e_1 \; bop \; e_2 : int, q_1 \cup q_2 \cup \{t_1 = int, t_2 = int\}} \quad \text{(CT-ARITH)}$$

$$\frac{\Gamma(x) = t}{\Gamma \vdash x : t, \{\}} \quad \text{(CT-NAME)}$$

$$\frac{\Gamma \vdash e_1 : t_1, q_1 \quad \Gamma \vdash e_2 : t_2, q_2 \quad bop \in \{<,<=,>,>=\}}{\Gamma \vdash e_1 \; bop \; e_2 : bool, q_1 \cup q_2 \cup \{t_1 = int, t_2 = int\}} \quad \text{(CT-REL)}$$

$$\frac{}{\Gamma \vdash \texttt{true} : \texttt{bool}, \{\}} \quad \text{(CT-TRUE)}$$

$$\frac{\Gamma, x : a \vdash e : t, q}{\Gamma \vdash \texttt{fn } x : a \Rightarrow e : b : a \to b, q \cup \{t = b\}} \quad \text{(CT-FN)}$$

$$\frac{}{\Gamma \vdash \texttt{false} : \texttt{bool}, \{\}} \quad \text{(CT-FALSE)}$$

You need to think of how to deal with other cases.

2. Unification algorithm:

$$\frac{}{(S, \{int = int\} \cup q)-> (S, q)}$$

$$\frac{}{(S, \{bool = bool\} \cup q)-> (S, q)}$$

$$\frac{}{(S, \{a = a\} \cup q)-> (S, q)}$$

$$\frac{}{(S, \{s_{11}-> s_{12} = s_{21}-> s_{22}\} \cup q)-> (S, \{s_{11} = s_{21}, s_{12} = s_{22}\} \cup q)}$$

$$\frac{}{(S, \{a = s\} \cup q)-> ([a = s] \circ S, q[s/a])} (a \; not \; in \; FV(s))$$

$$\frac{}{(S, \{s = a\} \cup q)-> ([a = s] \circ S, q[s/a])} (a \; not \; in \; FV(s))$$

3. Let-Polymorphism is also needed.

$$\frac{\Gamma \vdash e_2[e_1/x] : t_2 \quad \Gamma \vdash e_1 : t_1}{\Gamma \vdash \texttt{let } x = e_1 \texttt{ in } e_2 \texttt{ end} : t_2} \quad (T-LetPoly)$$

$$\frac{\Gamma \vdash e_2[e_1/x] : t_2, q_1 \quad \Gamma \vdash e_1 : t_1}{\Gamma \vdash \texttt{let } x = e_1 \texttt{ in } e_2 \texttt{ end} : t_2, q_1} \quad (CT-LetPoly)$$

5 Semantics

5.1 State

A state $s \in$ **State** is a triple (E, M, p) where $E \in$ **Env** is the environment, $M \in$ **Mem** is the memory, and $p \in \mathbb{N}$ is the memory pointer.

$$\textbf{State} = \textbf{Env} \times \textbf{Mem} \times \mathbb{N}$$
$$\textbf{Env} = \textbf{Var} \rightarrow \textbf{Val} \cup \textbf{Rec}$$
$$\textbf{Mem} = \mathbb{N} \rightarrow \textbf{Val}$$

Both the environment and the memory are updateable mappings. Given an updateable mapping $f : X \rightarrow Y$, the updated mapping $f[x \mapsto y]$, where $x \in X, y \in Y$, is defined as

$$f[x \mapsto y](x') = \begin{cases} y & \text{if } x = x' \\ f(x) & \text{otherwise.} \end{cases}$$

Val consists of integers, booleans, lists, references, pairs, and functions. **Rec** is the set of recursions.

$$\textbf{Val} = \bigcup_{t \in \textbf{Typ}} \mathcal{V}_t$$
$$\mathcal{V}_{\texttt{unit}} = \{\texttt{unit}\}$$
$$\mathcal{V}_{\texttt{int}} = \mathbb{Z} = \{\cdots, -3, -2, -1, 0, 1, 2, 3, \cdots\}$$
$$\mathcal{V}_{\texttt{bool}} = \mathbb{B} = \{\textbf{tt}, \textbf{ff}\}$$
$$\mathcal{V}_{t\,\texttt{list}} = \bigcup_{i=0}^{\infty} \mathcal{V}_{t\,\texttt{list}}^{(i)}$$
$$\mathcal{V}_{t\,\texttt{list}}^{(0)} = \{\texttt{nil}\}$$
$$\mathcal{V}_{t\,\texttt{list}}^{(i+1)} = \{\texttt{cons}\} \times \mathcal{V}_t \times \mathcal{V}_{t\,\texttt{list}}^{(i)}$$
$$\mathcal{V}_{t\,\texttt{ref}} = \{\texttt{ref}\} \times \mathbb{N}$$
$$\mathcal{V}_{t_1 \times t_2} = \{\texttt{pair}\} \times \mathcal{V}_{t_1} \times \mathcal{V}_{t_2}$$
$$\mathcal{V}_{t_1 \rightarrow t_2} = \mathcal{V}_{t_1}{}^{\mathcal{V}_{t_2}} \subseteq \{\texttt{fun}\} \times \textbf{Env} \times \textbf{Var} \times \textbf{Exp}$$
$$\textbf{Rec} = \{\texttt{rec}\} \times \textbf{Env} \times \textbf{Var} \times \textbf{Exp}$$

5.2 Rules

Judgement form: $E, M, p; e \Downarrow M', p'; v$ where $E \in$ **Env**, $M, M' \in$ **Mem**, $p \in \mathbb{N}, e \in$ **Exp**, $v \in$ **Val**

$$\frac{\mathbf{n} = \mathscr{N}[\![n]\!]}{E,M,p;n \Downarrow M,p;\mathbf{n}} \tag{E-INT}$$

$$\frac{E(x) = (\texttt{rec}, E_1, x_1, e_1) \quad E_1, M, p; \texttt{rec } x_1 \texttt{ => } e_1 \Downarrow M', p'; v}{E,M,p;x \Downarrow M',p';v} \tag{E-NAME1}$$

$$\frac{E(x) = v}{E,M,p;x \Downarrow M,p;v} \tag{E-NAME2}$$

$$\frac{}{E,M,p;\texttt{true} \Downarrow M,p;\mathbf{tt}} \tag{E-TRUE}$$

$$\frac{}{E,M,p;\texttt{false} \Downarrow M,p;\mathbf{ff}} \tag{E-FALSE}$$

$$\frac{}{E,M,p;\texttt{nil} \Downarrow M,p;\texttt{nil}} \tag{E-NIL}$$

$$\frac{}{E,M,p;\texttt{()} \Downarrow M,p;\texttt{unit}} \tag{E-UNIT}$$

$$\frac{E,M,p;e \Downarrow M,p;v}{E,M,p;\texttt{(}e\texttt{)} \Downarrow M,p;v} \tag{E-GROUP}$$

$$\frac{E,M,p+1;e \Downarrow M'',p';v \quad M' = M''[p \mapsto v]}{E,M,p;\texttt{ref } e \Downarrow M',p';(\texttt{ref},p)} \tag{E-REF}$$

$$\frac{E,M,p;e_1 \Downarrow M',p';(\texttt{ref},p_1) \quad E,M',p';e_2 \Downarrow M''',p'';v \quad M'' = M'''[p_1 \mapsto v]}{E,M,p;e_1 \texttt{ := } e_2 \Downarrow M'',p'';\texttt{unit}} \tag{E-ASSIGN}$$

$$\frac{E,M,p;e \Downarrow M',p';(\texttt{ref},p_1) \quad v = M'(p_1)}{E,M,p;\texttt{!}e \Downarrow M',p';v} \tag{E-DEREF}$$

$$\frac{}{E,M,p;\texttt{fn } x \texttt{ => } e \Downarrow M,p;(\texttt{fun},E,x,e)} \tag{E-FN}$$

$$\frac{E[x \mapsto (\texttt{rec},E,x,e)],M,p;e \Downarrow M',p';v}{E,M,p;\texttt{rec } x \texttt{ => } e \Downarrow M',p';v} \tag{E-REC}$$

$$\frac{E,M,p;e_1 \Downarrow M',p';(\texttt{fun},E_1,x,e) \quad E,M',p';e_2 \Downarrow M'',p'';v_2 \quad E_1[x \mapsto v_2],M'',p'';e \Downarrow M''',p''';v}{E,M,p;e_1\ e_2 \Downarrow M''',p''',v} \tag{E-APP}$$

$$\frac{E,M,p;e_1 \Downarrow M',p';v_1 \quad E,M',p';e_2 \Downarrow M'',p'';v_2}{E,M,p;\texttt{(}e_1\texttt{, }e_2\texttt{)} \Downarrow M'',p'';(\texttt{pair},v_1,v_2)} \tag{E-PAIR}$$

$$\frac{E,M,p;e_1 \Downarrow M',p';v_1 \quad E,M',p';e_2 \Downarrow M'',p'';v_2}{E,M,p;e_1 \texttt{ :: } e_2 \Downarrow M'',p'';(\texttt{cons},v_1,v_2)} \tag{E-CONS}$$

$$\frac{E, M, p; e \Downarrow M', p'; v \quad v' = -v}{E, M, p; {\sim} e \Downarrow M', p'; v'} \quad \text{(E-Neg)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v = v_1 + v_2}{E, M, p; e_1 + e_2 \Downarrow M'', p''; v} \quad \text{(E-Add)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v = v_1 - v_2}{E, M, p; e_1 - e_2 \Downarrow M'', p''; v} \quad \text{(E-Sub)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v = v_1 v_2}{E, M, p; e_1 * e_2 \Downarrow M'', p''; v} \quad \text{(E-Mul)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_2 \neq 0 \quad v = v_1 \; \mathtt{div} \; v_2}{E, M, p; e_1 \; / \; e_2 \Downarrow M'', p''; v} \quad \text{(E-Div)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_2 \neq 0 \quad v = v_1 \; \mathtt{mod} \; v_2}{E, M, p; e_1 \; \% \; e_2 \Downarrow M'', p''; v} \quad \text{(E-Mod)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 < v_2}{E, M, p; e_1 < e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-Less1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \geq v_2}{E, M, p; e_1 < e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-Less2)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \leq v_2}{E, M, p; e_1 \; {<=} \; e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-LessEq1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 > v_2}{E, M, p; e_1 \; {<=} \; e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-LessEq2)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 > v_2}{E, M, p; e_1 > e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-Greater1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \leq v_2}{E, M, p; e_1 > e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-Greater2)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \geq v_2}{E, M, p; e_1 \; {>=} \; e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-GreaterEq1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 < v_2}{E, M, p; e_1 \; {>=} \; e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-GreaterEq2)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 = v_2}{E, M, p; e_1 = e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-Eq1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \neq v_2}{E, M, p; e_1 = e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-Eq2)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 \neq v_2}{E, M, p; e_1 \; {<>} \; e_2 \Downarrow M'', p''; \mathbf{tt}} \quad \text{(E-Neq1)}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2 \quad v_1 = v_2}{E, M, p; e_1 \; {<>} \; e_2 \Downarrow M'', p''; \mathbf{ff}} \quad \text{(E-Neq2)}$$

$$\frac{E, M, p; e \Downarrow M', p'; \mathbf{tt}}{E, M, p; \mathtt{not}\ e \Downarrow M', p'; \mathbf{ff}} \tag{E-Not1}$$

$$\frac{E, M, p; e \Downarrow M', p'; \mathbf{ff}}{E, M, p; \mathtt{not}\ e \Downarrow M', p'; \mathbf{tt}} \tag{E-Not2}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{tt} \quad E, M', p'; e_2 \Downarrow M'', p''; v}{E, M, p; e_1\ \mathtt{andalso}\ e_2 \Downarrow M'', p''; v} \tag{E-AndAlso1}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{ff}}{E, M, p; e_1\ \mathtt{andalso}\ e_2 \Downarrow M', p'; \mathbf{ff}} \tag{E-AndAlso2}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{tt}}{E, M, p; e_1\ \mathtt{orelse}\ e_2 \Downarrow M', p'; \mathbf{tt}} \tag{E-OrElse1}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{ff} \quad E, M', p'; e_2 \Downarrow M'', p''; v}{E, M, p; e_1\ \mathtt{orelse}\ e_2 \Downarrow M'', p''; v} \tag{E-OrElse2}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E, M', p'; e_2 \Downarrow M'', p''; v_2}{E, M, p; e_1\,;e_2 \Downarrow M'', p''; v_2} \tag{E-Seq}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; v_1 \quad E[x \mapsto v_1], M', p'; e_2 \Downarrow M'', p''; v_2}{E, M, p; \mathtt{let}\ x = e_1\ \mathtt{in}\ e_2\ \mathtt{end} \Downarrow M'', p''; v_2} \tag{E-Let}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{tt} \quad E, M', p'; e_2 \Downarrow M'', p''; v}{E, M, p; \mathtt{if}\ e_1\ \mathtt{then}\ e_2\ \mathtt{else}\ e_3 \Downarrow M'', p''; v} \tag{E-Cond1}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{ff} \quad E, M', p'; e_3 \Downarrow M'', p''; v}{E, M, p; \mathtt{if}\ e_1\ \mathtt{then}\ e_2\ \mathtt{else}\ e_3 \Downarrow M'', p''; v} \tag{E-Cond2}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{tt} \quad E, M', p'; e_2\,;\ \mathtt{while}\ e_1\ \mathtt{do}\ e_2 \Downarrow M'', p''; v}{E, M, p; \mathtt{while}\ e_1\ \mathtt{do}\ e_2 \Downarrow M'', p''; v} \tag{E-Loop1}$$

$$\frac{E, M, p; e_1 \Downarrow M', p'; \mathbf{ff}}{E, M, p; \mathtt{while}\ e_1\ \mathtt{do}\ e_2 \Downarrow M', p'; \mathtt{unit}} \tag{E-Loop2}$$

5.3 Supplementary Details

- $\mathcal{N}[\![n]\!]$ is the value of n, e.g. $\mathcal{N}[\![123]\!] = 123$.

- If a and d are integers, with d non-zero, then a remainder $a\ \mathtt{mod}\ d$ is an integer r such that $a = qd + r$ for some integer q, and with $|r| < |d|$. $a\ \mathtt{div}\ d = q$ is the quotient.

- Equality comparisons ($=$ and $\neq$) work for any equality type.

  - $\forall n \in \mathbb{Z}, n = n$
  - $\mathbf{tt} = \mathbf{tt}, \mathbf{ff} = \mathbf{ff}$
  - $\mathtt{nil} = \mathtt{nil}$
  - $(\mathtt{cons}, h_1, t_1) = (\mathtt{cons}, h_2, t_2) \iff h_1 = h_2 \land t_1 = t_2$
  - $(\mathtt{ref}, p_1) = (\mathtt{ref}, p_2) \iff p_1 = p_2$
  - $(\mathtt{pair}, a_1, b_1) = (\mathtt{pair}, a_2, b_2) \iff a_1 = a_2 \land b_1 = b_2$
  - $v_1 \neq v_2 \iff \neg(v_1 = v_2)$

6 Examples

```
let add = fn x => fn y => x + y
in  add 1 2
end
(* ==> 3 *)
```

```
let fact = rec f => fn x => if x=1 then 1 else x * (f (x-1))
in  fact 4
end
(* ==> 24 *)
```

```
let gcd = rec g => fn a => fn b =>
             if b=0 then a else g b (a % b)
in  gcd 34986 3087
end
(* ==> 1029 *)
```

```
let gcd = fn x => fn y =>
             let a = ref x in
               let b = ref y in
                 let c = ref 0 in
                   (while !b <> 0 do c := !a; a := !b; b := !c % !b);
                    !a
                 end
               end
             end
in  gcd 34986 3087
end
(* ==> 1029 *)
```

```
let
   sum = rec sum =>
      fn a => if a=nil
                 then 0
                 else hd a + sum (tl a)
in
   sum (1::2::3::nil)
end
(* ==> 6 *)
```

7 Implementation

7.1 Command-line Interface

You are required to implement the SimPL interpreter in Java, and submit a runnable JAR file, say `SimPL.jar`. Your interpreter should accept exactly one command-line argument, which is the path of the SimPL program, and then read the program file for execution. Your interpreter should output the result of the execution to the standard output (`System.out`).

- Your interpreter is started by using `java -jar SimPL.jar` *program*`.spl`.

- If there is a syntax error, output `syntax error`.

- If there is a type error, output `type error`.

- If there is a runtime error, output `runtime error`.

- If the result is an integer, output its value.

- If the result is **tt**, output `true`.

- If the result is **ff**, output `false`.

- If the result is `nil`, output `nil`.

- If the result is `unit`, output `unit`.

- If the result is a list, output `list@` followed by its length.

- If the result is a reference, output `ref@` followed by its content.

- If the result is a pair, output `pair@`v_1`@`v_2 where v_i is i-th element of the pair.

- If the result is a function, output `fun`.

- Spaces in the output are insignificant.

- For any test program, your interpreter has up to 5 seconds to execute it.

- Your interpreter is started in a sandbox environment and can only read the current test program.

7.2 Predefined Functions

$$fst : t_1 \times t_2 \rightarrow t_1$$
$$snd : t_1 \times t_2 \rightarrow t_2$$
$$hd : t\,\texttt{list} \rightarrow t$$
$$tl : t\,\texttt{list} \rightarrow t\,\texttt{list}$$
$$fst(\texttt{pair}, v_1, v_2) = v_1$$
$$snd(\texttt{pair}, v_1, v_2) = v_2$$
$$hd(\texttt{cons}, v_1, v_2) = v_1$$
$$tl(\texttt{cons}, v_1, v_2) = v_2$$
$$hd(\texttt{nil}) = \texttt{error}$$
$$tl(\texttt{nil}) = \texttt{error}$$

`fst`, `snd`, `hd`, and `tl` are not keywords. They are predefined names in the topmost environment, work in the same way as user-defined functions, and can be bound to other values.

8 Bonus

- Mutually recursive combinator

- Infinite streams

- Garbage collection (of ref cells)

- Tail recursion

- Lazy evaluation

- Other features or optimizations

9 Deliverables

- A single zip file (`LastName_StudentId_SimPL.zip`) containing the complete project, including the runnable JAR file specified in Section 7.1, with all `TODO` items and other missing implementations properly completed. While `Interpreter.java` may be temporarily modified during development for convenience (e.g., testing), the submitted version must be restored to the original skeleton version. Your submission will be evaluated based on both the existing test cases (which must be left unchanged) and additional hidden test cases that will not be provided in advance.

- A single PDF report that clearly explains your implementation (via code snippets of the classes) and includes explanations of:

  - One library function from `src/simpl/interpreter/lib`
  - One function from `src/simpl/interpreter/pcf`
  - Three values from `src/simpl/interpreter`
  - Four expressions from `src/simpl/parser/ast`, including at least two from pure lambda calculus
  - Four types from `src/simpl/typing`

  The report should clearly demonstrate your comprehension of each component and should be straightforward to complete given your work in the project. Include any bonus features implemented, along with relevant code snippets for context.

- Any instances of plagiarism, either among submissions or from online sources, will result in a score of zero.