

Knowledge empowered prominent aspect extraction from product reviews

Zhiyi Luo, Shanshan Huang, Kenny Q. Zhu*

^a*Department of Computer Science and Engineering, Shanghai Jiao Tong University*
^b*800 Dongchuan Road, Shanghai, China 200240*

Abstract

Many existing systems for analyzing and summarizing customer reviews about products or service are based on a number of prominent review aspects. Conventionally, the *prominent review aspects* of a product type are determined manually. This costly approach cannot scale to large and cross-domain services such as Amazon.com, Taobao.com or Yelp.com where there are a large number of product types and new products emerge almost everyday. In this paper, we propose a novel method empowered by knowledge sources such as Probase and WordNet, for extracting the most prominent aspects of a given product type from textual reviews. The proposed method, ExtRA (Extraction of Prominent Review Aspects), (i) extracts the aspect candidates from text reviews based on a data-driven approach, (ii) builds an aspect graph utilizing the Probase to narrow the aspect space, (iii) separates the space into reasonable aspect clusters by employing a set of proposed algorithms and finally (iv) generates K most prominent aspect terms or phrases which do not overlap semantically automatically without supervision from those aspect clusters. ExtRA extracts high-quality prominent aspects as well as aspect clusters with little semantic overlap by exploring knowledge sources. ExtRA can extract not only words but also phrases as prominent aspects. Furthermore, it is general-purpose and can be applied to almost any type of product and service. Extensive experiments show that ExtRA is effective and achieves the state-of-the-art performance on a dataset consisting of different product types.

Keywords: Prominent aspect extraction; Unsupervised learning; Topic modeling; Word embedding

1. Introduction

Online user review is an essential part of e-commerce. Popular e-commerce websites feature an enormous amount of text reviews, especially for popular

*Corresponding author

Email addresses: jessherlock@sjtu.edu.cn (Zhiyi Luo), huangss_33@sjtu.edu.cn (Shanshan Huang), kzhu@cs.sjtu.edu.cn (Kenny Q. Zhu)

products and services. To improve the user experience and expedite the shopping process, many websites provide qualitative and quantitative analysis and summary of user reviews, which is typically organized by different *prominent review aspects*. For instance, Figure 1 shows a short review passage from a customer on TripAdvisor.com, and the customer is also asked to give scores on several specific aspects of the hotel, such as *location* and *cleanness*. With
10 aspect-based reviews summary, potential customers can assess a product from various essential aspects efficiently. Also, aspect-based review summary offers an effective way to group products by their prominent aspects and hence enables quick comparison.

Existing approaches for producing such prominent aspect terms usually require expensive manual efforts [1, 2]. This is feasible for web services that only sell (or review) a small number of product types of the same domain. For example, TripAdvisor.com only features travel-related products, and Cars.com only reviews automobiles, so that human annotators can provide appropriate aspect terms for customers based on their domain knowledge. While it is true that
20 human knowledge is useful in characterizing a product type, such manual approaches do not scale well for general-purpose e-commerce platforms, such as Amazon, eBay, or Yelp, which feature too many product types, not to mention that new product and service types are emerging everyday. In these cases, manually selecting and pre-defining aspect terms for each type is too costly and even impractical.

Moreover, the key aspects of a product type may also change over time. For example, in the past, people care more about the screen size and signal intensity when reviewing cell phones. These aspects are not so much of an issue in present days. People instead focus on battery life and processing speed, etc. Therefore,
30 there is a growing need to automatically extract prominent aspects from user reviews.

A related but different task is *aspect-based opinion mining* [3, 4, 5]. Here techniques have been developed to automatically mine product-specific “opinion phrases” such as those shown in Figure 2. In this example, the most frequently mentioned opinion phrases about a phone model along with the mentioned frequency are displayed. Their goal is to get the *fine-grained* opinion summary on possibly overlapping aspects of a particular product. For example, “good looks” and “beautiful screen” both comments on the “appearance” aspect of the phone. However, these aspects (such as “appearance”) are implicit and can’t be used
40 in aspect-based review summarization directly. The main disadvantage of these opinion phrases is that their aspects differ from product to product, making it difficult to compare the product side by side. And most recently, Vo et al. [6] and Dragoni et al. [7] propose methods to extract fine-grained aspects, which benefits the aspect-based opinion mining task as a downstream application. However, such fine-grained aspects are not suitable for the applications such as aspect-based review summary.

This paper aims to extract prominent review aspects which represent the important and typical aspect categories for the given product or service. Each prominent aspect can semantically subsume various fine-grained aspects which



Figure 1: An example user review about a hotel on TripAdvisor. The grades are organized by different prominent review aspects: *value*, *rooms*, etc.




Figure 2: Automatic review summarization for two mobile phones on an e-commerce website

50 appear different on the surface but discuss the same aspect category. We develop an effective unsupervised approach for automatically extracting K most prominent, non-overlapping review aspects for a given type of product from user review texts. Developing such an unsupervised approach is challenging for the following reasons:

- The extracted prominent aspects not only need to cover as many customer concerns as possible but also have little semantic overlap.
- The expression of user opinions is highly versatile: aspect terms can be expressed in different ways. For example, the mention of “cost” implies the aspect “price”.
- 60 • Product reviews are information rich. A short piece of comments may target multiple aspects, so topics transit quickly from sentence to sentence.

Most previous unsupervised approaches for the prominent aspect extraction task are variants of topic modeling techniques [8, 9, 10]. Although topic modeling based methods can group topically related words into one topic, it can be difficult to properly control the granularity of the topic. Thus, the performance degrades when extracting too fine-grained aspect words as prominent aspects.

Given all review text about a certain product type, our approach extracts K most prominent aspect terms in three main steps: first it extracts potential aspect terms from text corpus by lexico-syntactic analysis; then we proposed a novel method to aggregate the extracted terms into *aspect clusters* by utilizing 70 the external knowledge source, including WordNet [11] and Probase [12]; after that it ranks the *aspect clusters* by a proposed importance score; and finally we design an algorithm to generate the K prominent aspects from the aspect synonyms.

The main contributions in this paper are as follows:

1. We define a new problem, extracting prominent aspects from customer review corpora, which benefits existing aspect-based review analysis systems.

- 80
2. We propose a novel unsupervised and effective method ExtRA which utilizes Probase and WordNet as well as word embeddings for inferring reasonable aspect clusters and extracting prominent aspects. Extensive experiments show that our approach outperforms multiple strong baselines by a substantial margin (Section 5).
 3. We create a new evaluation dataset for *prominent aspects extraction* (Section 5.1). We will release the evaluation dataset as well as the implementation of the system for future work in this research area.

2. Related Work

Existing research on *aspect-based review analysis* has focused on mining opinion based on given aspects [3, 4, 13, 14, 15] or jointly extracting the aspects and 90 sentiment [9, 16, 17, 18, 19, 20, 21]. They are mostly interested in detecting aspect words in a given sentence, whereas our goal is to extract the most prominent aspects of a type of product from a large number of reviews about that product type.

We divide the existing work on review aspect extraction into three types:

- *rule-based* methods, most of which utilize handcrafted rules to extract candidate aspects and then perform clustering algorithm on them.
- *topic modeling based* methods, which directly model topics from texts and then extract aspects from the topics.
- *neural network based* methods, which takes advantage of the recent deep 100 neural network models.

Besides, targeted sentiment analysis [22, 23] which aims to analyze sentiment with respect to the targeted entities in the sentence is closely related to the aspect-based review analysis task. Recently, the emerging work [24, 25] developed neural models to resolve the sentiment polarity of a given target in its context. ExtRA, the proposed framework of aspect extraction and inference, makes it easier to adapt those models to aspect-based review analysis.

2.1. Rule-based Methods

These methods leverage word statistical and syntactic features to manually design rules, recognizing aspect candidates from texts. Poria et al. [1] use 110 manually crafted mining rules. Qiu et al. [2] also used rules, plus the Double Propagation method to better relate sentiment to aspects. Gindl et al. [26] used Double Propagation with anaphora resolution for identifying co-references to improve the accuracy. Su et al. [3] used a clustering method to map the implicit aspect candidates (which were assumed to be the noun form of adjectives in the paper) to explicit aspects. Zeng et al. [4] mapped implicit features to explicit features using a set of sentiment words and by clustering explicit feature-sentiment pairs. Rana et al. [27] proposed a two-fold rules-based model,

using rules defined by sequential patterns. Their first fold extracts aspects associated with domain-independent opinions and the second fold extracts aspects associated with domain dependent opinions.

However, such rule-based models are designed for extracting product features which cannot easily adapt to our K most prominent aspect extraction problem. Besides, most of them require human efforts to collect lexicons and to carefully design complex rules and thus do not scale very well.

2.2. Topic Modeling Based Methods

Most works in this domain are based on two basic models, pLSA[28] and LDA[29]. The variants of these models consider two special features of review texts: 1) topics shift quickly between sentences, 2) sentiment plays an important role and there is a strong correlation between sentiments and aspects. Shams [30] incorporates co-occurrence relations as prior domain knowledge into the LDA model. The approach of Lin et al. [8] models the parallel aspects and sentiments per review. Lin et al. [9] and Moghaddam et al. [31] model the dependency between the latent aspects and ratings. Wang et al. [10] proposed a generative model which incorporates the topic modeling technique into the latent rating regression model [32]. Moghaddam et al. [33] made a nice summarization of some basic variations of LDA for opinion mining. Instead of using topics, our method relies on word embeddings to capture the latent semantics of words and phrases and achieves better results. *MG-LDA* [34] is a variant of LDA that can also model topics at different granularities, which are based on extensions to standard topic modeling methods such as LDA and PLSA to induce multi-grain topics. *D-PLDA* [33] is a variant of LDA models is designed specifically for modeling topics from user reviews. D-PLDA utilizes the overall ratings of reviews for jointly mining the aspects and opinions for a given product. However, collecting such ratings for product reviews is often expensive. Thus, D-PLDA is difficult to scale to and apply to the large and cross-domain services.

2.3. Neural Network Based Methods

Several works [14, 19] based on the deep learning approach targets at the fine-grained aspect extraction. And most recently, He et al. [35] propose a neural attention model for identifying aspect terms. Their goal is similar to ours but instead of directly comparing their extracted terms with the gold standard, they ask human judges to map the extracted terms to one of the prominent gold aspects manually before computing the precision/recall. Our experiments showed that their output aspects are too fine-grained and cannot be used as prominent aspects.

3. Problem Statement

As mentioned before, our focus in this work is to generate the most prominent aspects of a given product type from textual reviews. More specifically, the problem is defined as: given all the text reviews about one type of product or

service, extract K words (or phrases), each of which represents a prominent
 160 and distinct review aspect. For instance, if the given product type is *hotel*,
 we expect a successful extraction framework to extract $K = 5$ aspect terms as
 follows: *room, location, staff, breakfast, pool*. Here K is a constant parameter
 for the problem. The set of reviews and the number of aspects are inputs.

Definition 1. We term the problem as *Prominent Aspect Extraction*, which aims
 to find an optimal set of K aspects $[a_1, a_2, \dots, a_K]$, such that:

- the K aspects cover as much aspect space C as possible, i.e. maximizing
 $\bigcup_{k=1}^K c(a_k)$;
- the semantic overlaps between those aspects are minimum, i.e. minimizing
 $\sum_{i=1}^K \sum_{j=1}^K o(a_i, a_j)$,

170 where $c(a_k)$ denotes the semantic coverage of the aspect a_k , and $o(a_i, a_j)$ rep-
 represents the semantic overlaps between a_i and a_j .

The challenges in a good choice of $a_1 \sim a_K$ are properly formulating the
semantic coverage and *semantic overlaps*. To formulate the aspect space with
 minimum noise, ExtRA builds an aspect graph specialized for the given type
 of product. Then, we propose a novel strategy which segments the space into
 reasonable aspect clusters in order to model the semantic coverage of aspects
 more accurate, since the potential prominent aspects can benefit from other
 members within the same cluster. Finally, we generate the prominent aspects
 from aspect clusters by utilizing the internal structure of each aspect cluster.

180 Note that in this definition we don't use cross-domain information, that is,
 for one product type we only use the reviews of that domain. Thus, our model
 can extract aspects from any domain as long as the reviews for that domain is
 available.

4. Methodology

Figure 3 depicts the architecture of ExtRA. The collection of customer re-
 views and the number of prominent aspects to extract are inputs. ExtRA ex-
 tracts the aspect candidates from text reviews and aggregates them into aspect
 synsets to construct the aspect space. Next, it builds an aspect graph utilizing
 the Probase to narrow the aspect space, then segments the space into aspect
 190 clusters utilizing strategies of relation weighting and grouping, and finally gen-
 erates the top K prominent aspects from aspect clusters. ExtRA makes use
 of external knowledge such as Probase, WordNet and word embeddings (i.e.
 Glove [36]).

4.1. Aspect Candidates Extraction

Following the observation of Liu [37, 38], we assume that aspect terms are
 nouns and noun phrases. First, we design a set of effective syntactic rules, which
 can be applied across domains, to collect the aspect candidates from review
 texts. We mainly use the adjectival modifier dependency relation (*amod*) and




Figure 3: The architecture of ExtRA

the nominal subject relation (*nsubj*) to extract the aspect-opinion pairs $\langle N, A \rangle$.
 200 In addition, we leverage the conjunction relation (*conj*) between adjectives to complement the extracted pairs. Formally, the extraction rules can be specified as follows:

Rule 1. If $amod(N, A)$, then extract $\langle N, A \rangle$.

Rule 2. If $nsubj(A, N)$, then extract $\langle N, A \rangle$.

Rule 3. If $\langle N, A_i \rangle$ and $conj(A_i, A_j)$, then extract $\langle N, A_j \rangle$.

In this case, N indicates a noun, and A (e.g. A_i, A_j) is an adjective. The dependencies (e.g. $amod(N, A)$) are expressed as $rel(head, dependent)$, where rel is the dependency relation which holds between $head$ and $dependent$. Note that many aspects are expressed by phrases, thus, we introduce *noun compound*
 210 relation (abbreviated *comp*) to extend phrases as aspect candidates. The phrase extension rules for the extracted aspect-opinion pair $\langle N, A \rangle$ are as follows:

Rule E1. If $\langle N, A \rangle$ and $comp(N_{-1}, N)$, then use $\langle N_{-1}N, A \rangle$ to replace $\langle N, A \rangle$;




Rule E2. If $\langle N, A \rangle$ and $comp(N, N_{+1})$, then use $\langle N_{-}N_{+1}, A \rangle$ to replace $\langle N, A \rangle$;

Rule E3. If $\langle N, A \rangle$ and $amod(V_{-1}, N)$, then use $\langle V_{-1}N, A \rangle$ to replace $\langle N, A \rangle$,

where N_{-1} and N_{+1} denotes the noun word, V_{-1} is the gerund, and the subscript represents the displacement to N in the sentence. Note that in order to obtain more accurate aspect candidates, we aim to extract the sentiment aspect-opinion pairs. We constrain that the opinion word A of each pair $\langle N, A \rangle$ is in the sentiment opinion lexicon proposed by Liu[37].

220 Table 1 demonstrates the extraction process using some example sentences with syntactic features. For example, in sentence (a), we first extract the pair $\langle great, lens \rangle$ by applying *Rule 1*, then we replace that pair with $\langle great, zoom.lens \rangle$ by applying *Rule E1*. Similarly, the extraction rules match $\langle slow, shutter \rangle$, $\langle noisy, shutter \rangle$ in sentence (b) and $\langle long, charging-time \rangle$ in sentence (c) as potential aspect-opinion pairs.

Table 1: The extraction of opinion-aspect pairs from review sentences.

Review sentences	Rules	Opinion-aspect pairs
 <p>(a) It's a great zoom lens.</p>	<p>Rule 1.</p> <p>Rule E1.</p>	<p>$\langle \text{great, lens} \rangle$</p> <p>$\langle \text{great, zoom lens} \rangle$</p>
 <p>(b) The shutter is really slow and noisy.</p>	<p>Rule 2.</p> <p>Rule 3.</p>	<p>$\langle \text{slow, shutter} \rangle$</p> <p>$\langle \text{noisy, shutter} \rangle$</p>
 <p>(c) Charging time is excessively long.</p>	<p>Rule 2.</p> <p>Rule E3.</p>	<p>$\langle \text{long, time} \rangle$</p> <p>$\langle \text{long, changing time} \rangle$</p>

After extracting such aspect-opinion pairs from the text reviews, we use $freq(\langle N, A \rangle)$ to represent the number of occurrences of $\langle N, A \rangle$. The frequency of the aspect N (i.e. $freq(N)$) is computed as:

$$freq(N) = \sum_{\langle N, A \rangle \in P} freq(\langle N, A \rangle), \quad (1)$$

where P is the set of aspect-opinion pairs extracted from the corpus. We sort the extracted aspects by frequency, and consider the top 1000 of them as aspect candidates, assuming that the most prominent aspects are subsumed by those candidates terms.

230 4.2. Aspect Aggregation

We collect a bunch of aspect candidates from the previous extraction stage. The *prominent aspects* are supposed to be important and popular but sometimes coarse-grained, which means they may semantically cover or overlap with a set of other aspect candidates. The simplest method is to extract the most frequent K aspect candidates as the K expected prominent aspects since the frequency is a natural measure of popularity (or importance). However, the expression of the prominent aspect can be highly versatile. For example, *os*, *operating system* and *Windows XP* describe the same prominent aspect of Laptop: *operating system*. Therefore, it is reasonable to aggregate the aspects which are about the same prominent aspect together to enhance the popularity. We aggregate the

240 aspect candidates into clusters following two principles:

- Aggregate the aspects with high semantic overlaps into *aspect synsets*.
- Group the *aspect synsets* with high semantic subsumption into *aspect clusters*.

In this section, we first aggregate the aspect candidates into aspect synsets in Section 4.2.1, ensuring that the candidates which refer to the same aspect are

attached with each other. Then, we narrow the aspect space from the original set of aspect candidates to the set of nodes (aspects) of the constructed aspect graph in Section 4.2.2. Finally, we utilize the proposed relation weighting scheme to segment the aspect space into clusters.

4.2.1. Aspect synsets

We use WordNet and Glove to aggregate the aspect candidates with highly semantic overlaps into *aspect synsets*. *Aspect synonyms* are the aspects that have similar meanings. *Aspect synset* is a group of aspect synonyms. The algorithm of aspect synsets generation is described in Algorithm 1.

Algorithm 1: Aspect Synsets Generation

Input: A list of aspects $N = [n_1, n_2, \dots, n_M]$ sorted by frequency in descending order.
Output: A list of aspect synsets $S = [s_1, s_2, \dots, s_T]$ sorted by priority in descending order.

```

1  $S \leftarrow []$ ;
2  $toSkip \leftarrow \emptyset$ ;
3 for  $i \leftarrow 1$  to  $M$  do
4   if  $n_i \in toSkip$  then
5      $\lfloor$  continue;
6    $t \leftarrow len(S)$ ;
7    $s_t \leftarrow \{n_i\}$ ;
8    $L_i \leftarrow lemmas(n_i)$ ;
9   for  $j \leftarrow i + 1$  to  $M$  do
10    if  $n_j \in toSkip$  then
11       $\lfloor$  continue;
12     $L_j \leftarrow lemmas(n_j)$ ;
13    if  $n_i \in L_j$  and  $n_j \in L_i$  or  $sim(n_i, n_j) \geq thred$  then
14       $s_t \leftarrow s_t \cup \{n_j\}$ ;
15       $toSkip \leftarrow toSkip \cup \{n_j\}$ ;
16    for  $n \in L_j$  do
17      if  $n \in N$  and  $n_j \in lemmas(n)$  or  $sim(n, n_j) \geq thred$  then
18         $s_t \leftarrow s_t \cup \{n\}$ ;
19         $toSkip \leftarrow toSkip \cup \{n\}$ ;
20    Append  $s_t$  to  $S$ ;
21     $toSkip \leftarrow toSkip \cup \{n_i\}$ ;
22 Sort  $S$  by priority in descending order;
23 return  $S$ ;
```

WordNet. The WordNet organizes words with similar meanings as *synsets*. A *synset* represents a specific sense of a specific word. Each synset contains one or more lemmas, vice versa, one lemma can belong to one or more synsets. Thus, it is intuitive to take the aspects that belong to the same *synset* as the aspect

synonyms. Such aspect synonyms are supposed to have the same meaning at least in one sense. We ensure that each aspect (i.e. n) is assigned to only one *aspect synset* using Algorithm 1. $lemmas(n)$ represents the set of all synonyms for n . For example, word n have m senses which correspond to one synset each in WordNet. $l(s)$ is the set of synonyms of synset s . Then, $lemmas(n) = \bigcup_{i=1}^m l(s_i)$. Note that the priority of each *aspect synset* (e.g. s) is computed as:

$$\sum_{n \in s} freq(n). \quad (2)$$

Such aggregation groups *os* and *operating system* together.

Glove. While WordNet is powerful, the synsets information for phrases in WordNet is not as rich as words. For example, we expect to group *pool* and *swimming pool* which are almost the same meaning in semantics together, though they do not have the same sense in WordNet. To ameliorate this limitation, we introduce word embeddings which are widely used for capturing the semantic similarity (i.e. semantic overlap) between words and phrases. We calculate the semantic overlap between the term n_i and n_j as $sim(n_i, n_j)$, which is the cosine similarity computed by Glove embeddings. If n_i is a phrase composed by words $[w_1, \dots, w_K]$, then $E(n_i)$, the embedding of n_i , is calculated as:

$$E(n_i) = \sum_{k=1}^K E(w_k). \quad (3)$$

We set the threshold *thred* to be very high (i.e. 0.9) in order to group aspect synonyms in Algorithm 1.

4.2.2. Aspect Clusters

260 In this section, we aggregate the aspect synsets into aspect clusters. Each aspect cluster implies a prominent aspect for the given product or service. We expect to capture the hierarchical structure between aspects and to group those hypernym-hyponym aspects together. For example, *Windows XP* is the hyponym aspect of *operating system*, which means *Windows XP* is a kind of *operating system*.

Probase. We leverage Probase [12] to identify *isA* relations between aspects. Probase is a data-driven semantic network that consists of millions of fine-grained concepts and their *isA* relationships. Thus, it is more suitable than WordNet on measuring the semantic subsumptions between aspects. For an *isA* relationship $\langle u, v \rangle$ from Probase, the hypernym u is called *concept*, and the hyponym v is called *entity* or *instance*. Each relationship $\langle u, v \rangle$ is associated with the number of occurrences (i.e. $f(\langle u, v \rangle)$) that u occurred as the concept of v in the corpus. If $f(\langle u, v \rangle)$ is greater than 100, we consider that there is an *isA* relationship between u and v . In other words, v is semantically covered by u in the commonsense.

Algorithm 2: Aspect Graph Construction

Input: The set of aspect candidates $N = \{n_1, n_2, \dots, n_M\}$.

Output: $G = (V, E)$.

```
1  $V \leftarrow \emptyset$ ;  
2  $E \leftarrow \emptyset$ ;  
3 for  $i \leftarrow 1$  to  $M$  do  
4   for  $j \leftarrow i + 1$  to  $M$  do  
5     if  $n_j \in \text{topEntities}(n_i)$  and  $n_i \in \text{topConcepts}(n_j)$  then  
6        $E \leftarrow E \cup \{ \langle n_i, n_j \rangle \}$ ;  
7     if  $n_i \in \text{topEntities}(n_j)$  and  $n_j \in \text{topConcepts}(n_i)$  then  
8        $E \leftarrow E \cup \{ \langle n_j, n_i \rangle \}$ ;  
9 for  $\langle u, v \rangle \in E$  do  
10   $V \leftarrow V \cup \{u\}$ ;  
11   $V \leftarrow V \cup \{v\}$ ;  
12 return  $G$  ;
```

Aspect graph construction. Given the extracted aspect candidates, we first extract an aspect graph $G = (V, E)$ from Probase. Each node $v \in V$ is an aspect candidate. Each edge $e = \langle u, v \rangle$, directed from the concept u to the entity e , represents an isA relationship from Probase. To improve the quality of relationships in G , we only reserve top frequent relationships for both u and v . The algorithm
280 for the graph construction is described in Algorithm 2. $\text{topEntities}(n)$ returns the top 20 frequent entities for the concept n , and $\text{topConcepts}(n)$ returns the top 20 frequent concepts for the entity n .

Relation weighting. In order to measure the quality of each relationship $\langle u, v \rangle$ in G , we propose a weighting scheme for $\langle u, v \rangle$. According to Wu[12], each relationship $\langle u, v \rangle$ is associated with two typicalities, $\mathcal{T}(u|v)$ and $\mathcal{T}(v|u)$, which are useful for conceptualization and inference. $\mathcal{T}(u|v)$ is the typicality of the concept u given the instance v , and $\mathcal{T}(v|u)$ is the typicality of the instance v given the concept u . In our scenario, they are computed as follows:

$$\mathcal{T}(u|v) = \frac{f(\langle u, v \rangle)}{f(v)} \quad (4)$$

$$\mathcal{T}(v|u) = \frac{f(\langle u, v \rangle)}{f(u)}, \quad (5)$$

where $f(u)$ (or $f(v)$) is the frequency of u (or v) acting as the concept (or instance) in Probase. The weight of the edge $\langle u, v \rangle$ is computed as:

$$w(\langle u, v \rangle) = \mathcal{T}(u|v)^{\frac{1}{2}} * \mathcal{T}(v|u)^{\frac{1}{2}} \quad (6)$$

This scheme captures the intuition that if u associates more typically to v or vice versa, $\langle u, v \rangle$ is often weighted higher.




Figure 4: Two structures that s' covers s

Grouping. If $\langle u, v \rangle \in E$ and $\langle v, u \rangle \in E$, in another word, u is an instance of v and vice versa, then we take u and v as aspect synonyms. Thus, if $u \in s_u$ and $v \in s_v$, then we group the aspect synsets s_u and s_v together. In addition, we calculate the semantic similarity (i.e. *sim*) between the aspects and group the aspect synsets with top most similar aspects together. This step can be treated as the further enrichment of the aspect synsets.

Next, we group the aspect synsets $S = [s_1, s_2, \dots, s_T]$ into aspect clusters $C = [c_1, c_2, \dots, c_Q]$. The intuition is that if s is semantically covered by s' , which means they support the same prominent aspect, then we group s and s' together. Here, s (e.g. $s = \{n_1, n_2, n_3\}$) and s' (e.g. $s' = \{n'_1, n'_2\}$) are aspect synsets. We assume that the two structures shown in Figure 4 imply the semantical subsumption. Formally, structure (a) represents that $\exists n \in s$ such that $\langle n', n \rangle \in E$ for $\{\forall n', n' \in s'\}$. Similarly, structure (b) represents that $\exists n' \in s'$ such that $\langle n', n \rangle \in E$ for $\{\forall n, n \in s\}$. Either semantic coverage structure in Figure 4 should be satisfied when s is covered by s' .

The key to the grouping algorithm is to decide the grouping order for the aspect synsets. For example, s could be covered by multiple aspect synsets, such as s' and s'' . It is too aggressive to group s , s' and s'' into one aspect cluster directly. We measure the semantic coverage using the *relation weighting* scheme proposed in the previous step. Formally, the semantic coverage of s for s' is computed as:

$$cov(\langle s', s \rangle) = \max_{\langle u, v \rangle \in edges(\langle s', s \rangle)} w(\langle u, v \rangle) \quad (7)$$

$edges(\langle s', s \rangle)$ is the set of edges which are involved in the structures shown in Figure 4. $w(\langle u, v \rangle)$ is calculated as Eq. (6). Then, we sort the pairs of aspect synsets (e.g. $\langle s', s \rangle$) to be grouped together by their coverages $cov(\langle s', s \rangle)$ in descending order.

To control the purity of aspect clusters, we propose an iterative algorithm to group those pairs. We show the grouping details in Algorithm 3. The *grouping rate* parameter determines how many pairs to be grouped in each iteration. The output of each iteration is a list of aspect clusters feeding into the next iteration as inputs.

Algorithm 3: Grouping aspect clusters

Input: A list of aspect synsets $S = [s_1, s_2, \dots, s_T]$.

Output: A list of aspect clusters $C_{out} = [co_1, co_2, \dots, co_Q]$

```
1 Initialize  $C_{in} = [ci_1, ci_2, \dots, ci_T]$ , where  $ci_t = s_t$ ;  
2 while true do  
3    $C_{out} \leftarrow C_{in}$ ;  
4    $pairs \leftarrow toGroup(C_{in})$ ;  
5   if  $len(pairs) = 0$  then  
6     break;  
7   Sort  $\langle s', s \rangle \in pairs$  by  $cov(\langle s', s \rangle)$  (Eq. (7)) in descending order, such that  
    $pairs = [\langle s'_1, s_1 \rangle, \dots, \langle s'_K, s_K \rangle]$ ;  
8    $combined \leftarrow \emptyset$ ;  
9    $C \leftarrow []$ ;  
10  for  $i \leftarrow 1$  to grouping_rate do  
11     $s \leftarrow s'_i \cup s_i$ ;  
12     $combined \leftarrow combined \cup \{s'\} \cup \{s\}$ ;  
13    Append  $s$  to  $C$ ;  
14  for  $s \in C_{in}$  and  $s \notin combined$  do  
15    Append  $s$  to  $C$ ;  
16  Sort  $C$  by priority (Eq. (2)) in descending order;  
17   $C_{in} \leftarrow C$ ;  
18 return  $C_{out}$ ;
```

310 Given the list of aspect clusters C , $toGroup(C)$ gives the pairs of aspect clusters which satisfy the structures in Figure 4. Note that we set the *grouping rate* as 1 in our algorithm in order to avoid aggressive grouping. After such grouping, each output aspect cluster (co_i) can be seen as a coarse-grained aspect cluster. To properly adjust the granularity and purity of co_i ($co_i \in C_{out}$), we further cluster the aspects in co_i . We represent each aspect n as a vector described in Eq. (3) and use the K-means clustering method to cluster them. The number of clusters Z is auto-tuned using silhouette score [39]¹.

320 For example, after clustering, the co_i splits into Z clusters represented as $co_i^{(1)}$, $co_i^{(2)}$, ..., and $co_i^{(Z)}$. We treat such aspect clusters $co_i^{(j)}$ as fine-grained aspect clusters. Each $co_i^{(j)}$ is associated with two priorities. One is $priority(co_i^{(j)})$, and the other is $priority(co_i)$ which is the priority of its corresponding coarse-grained aspect cluster co_i . We use $priority(co_i)$ as the first key and $priority(co_i^{(j)})$ as the second key to sort the fine-grained aspect clusters $co_i^{(j)}$ in descending order. The prominent aspects we expected are implied in those top fine-grained aspect clusters.

¹We empirically set the default silhouette score as 0.13 for $Z = 1$.

4.3. Prominent Aspects Generation

Finally, we generate the K prominent aspects from the top fine-grained aspect clusters $co_i^{(j)}$. We sort the aspects in $co_i^{(j)}$ by priority in descending order, representing as $[n_1^{(i,j)}, n_2^{(i,j)}, \dots, n_R^{(i,j)}]$. Thus, $n_1^{(i,j)}$ is the most popular aspect with the highest frequency $freq(n_1^{(i,j)})$.

Next, we generate prominent aspects from $co_i^{(j)}$ on three different cases: *Top-down case*, *Bottom-up case* and *Miscellaneous case*. We demonstrate the first two cases in Figure 5.




Figure 5: Different cases for prominent aspect generation from $co_i^{(j)}$

Top-down case. $n_1^{(i,j)}$ is the concept of $n_r^{(i,j)}$ ($2 \leq r \leq R$). In other words, $n_r^{(i,j)}$ ($2 \leq r \leq R$) are the instances of $n_1^{(i,j)}$. In this case, we extract the concept $n_1^{(i,j)}$ as the prominent aspect, except that when $n_1^{(i,j)}$ is too vague (e.g. *feature*, *service*), as well as $n_1^{(i,j)}$ do not dominate $co_i^{(j)}$, then we extract the suboptimal aspect $n_2^{(i,j)}$ as the prominent aspect. We formulate the domination constraint of $n_1^{(i,j)}$ in $co_i^{(j)}$ as follows:

$$\frac{freq(n_1^{(i,j)})}{priority(co_i^{(j)})} \leq \tau^2 \quad (8)$$

Note that we measure the vagueness of each concept using Probbase[12].

Bottom-up case. $n_R^{(i,j)}$ is the concept of $n_r^{(i,j)}$ ($1 \leq r \leq R-1$). In this case, we extract the most popular instance x and the concept $n_R^{(i,j)}$ as the prominent aspects. Formally,

$$x = \arg \max_{n_r^{(i,j)}, 1 \leq r \leq R-1} f(n_r^{(i,j)}) \quad (9)$$

Miscellaneous case. All the other cases are divided as the miscellaneous case. In this case, we simply extract the most popular aspect $n_1^{(i,j)}$ as the prominent aspect.

We perform above strategy along the sorted list of fine-grained aspect clusters until we generate K prominent aspects.

² $\tau = \frac{3}{4}$

340 **5. Experimental Results**

We compare ExtRA with multiple strong baselines on extracting aspect terms from user reviews. We first introduce the dataset and the competing models, then show the quantitative evaluation as well as qualitative analysis for different models.

5.1. Dataset

We use the customer review corpora of 6 kinds of product and service ³ collected from popular websites, including Amazon, TripAdvisor, and Yelp. The number of hotel reviews [40] in the original corpus is huge. Therefore, we randomly sample 20% of the reviews to perform our experiments. The statistics of
350 the corpora are shown in Table 2.

Table 2: Dataset statistics.

Product type	Source	#Reviews
hotel	TripAdvisor	3,155,765
mobile phone	Amazon	185,980
mp3 player	Amazon	30,996
laptop	Amazon	40,744
cameras	Amazon	471,113
restaurant	Yelp	269,000

Existing published aspect extraction datasets [37, 41, 42, 43] include only fine-grained aspects from reviews, which are not suitable for evaluating the performance of prominent aspects extraction. Therefore, we build a new evaluation dataset particularly for this task. Following the previous works [44, 45, 16, 17] as well as the popular commercial websites (e.g. TripAdvisor), which commonly label 4 to 9 prominent aspects for rating, we respectively set K as 5, 7 and 9 in the following experiments. We have five annotators in total. We ask each annotator who are familiar with the domain to give K aspect terms which they think are most important for each category. ⁴

360 One prominent aspect could be expressed by different terms. Thus, it is difficult to achieve a satisfied inner-agreement. We propose two evaluation methods, especially the soft accuracy in Section 5.3.1 to compensate for this problem. To acquire a relatively higher inner-agreement, we educate the annotators with top 100 frequent aspect candidates as hints. Though, they are not required to pick up labels from the candidates. The inter-annotator agreement of each product type shown in Table 3 is computed as the average Jaccard similarity between every two annotators. As can be seen, for the category *hotel*, the agreement between annotators achieves the highest value 0.44 when K is 5, which means

³The data is available from <http://times.cs.uiuc.edu/~wang296/Data/> and <https://www.yelp.com/dataset>

⁴The complete labeled set of ExtRA are released at <https://drive.google.com/file/d/10t0Y4YSUtW7cRQWgfaHvLvECj0aPRuWo/view?usp=sharing>.

that $K = 5$ is the most reasonable number of prominent aspects for *hotel*. Similarly, $K = 9$ is the most appropriate value for *mp3*, *cameras*, *mobile phone* and *laptop*. and it is better to set K as 7 for *restaurant*. As seen from the released evaluation dataset, although the Jaccard agreements on *cameras* and *laptop* is relatively low, the collected labels are still highly correlated on semantics.

Table 3: Inner-annotator agreements

Category \ Agreement	hotel	mp3	cameras	mobile phone	laptop	restaurant
$K = 5$	0.440	0.258	0.201	0.148	0.131	0.464
$K = 7$	0.362	0.375	0.277	0.319	0.225	0.497
$K = 9$	0.365	0.405	0.301	0.431	0.250	0.456

5.2. Baselines and ExtRA

We introduce three topic modeling based baselines for the task. These are **LDA** [29], **BTM** [46] and **MG-LDA** [34]. MG-LDA is a strong baseline which attempts to capture multi-grain topics (i.e. global & local), where the local topics correspond to the rateable prominent aspects. We treat each review as a document and perform those models to extract K topics. Then, we select most probable words in each topic as our extracted aspect terms. To prevent extracting the same aspects (w) from different topics, we only keep w for the topic t with the highest probability $p(w|t)$ value, then re-select aspects for the other topics until we get K different aspects. For fair comparison among different models, the number of target aspects K is set as 5, 7 and 9 separately. The hyper-parameter of MG-LDA (global topics) is set to 30 with fine-tuning.

Another syntactic rule-based baseline model **RuleExt** is from the first step of the proposed method. After extracting the aspect candidates using *rules* (i.e. Rule 1~3) and *extension rules* (i.e. Rule E1~E3) in Section 4.1, we sort the aspect candidates by their counts of extracted occurrences. Then select the top K candidates as the prominent aspects.

ABAE [35] is a neural-based model that can infer K aspect types. Each *aspect type* is a ranked list of representative words. To generate K prominent aspects, we first infer K aspect types using *ABAE*, then select the most representative word from each aspect type. We set the number of training epochs as 100 using the code ⁵ released by the author.

Note that the top aspect terms from the baseline methods, inevitably contain some sentiment words and opinions, like *excellent*, *nice*, *great*, *etc.* To remedy this, we post-process the results for baselines methods in order to reverse the nouns only.

For **ExtRA**, we use WordNet 3.0 and the Probase snapshot released in 2012 which consists of 69,707,026 distinct concept-instance pairs in total. We

⁵<https://github.com/ruidan/Unsupervised-Aspect-Extraction>

use GloVe embeddings with 300 dimensions, trained from 840B tokens using common crawl data. As described in Section 4.2.2, we use silhouette score to automatically tune the cluster number Z when generating the final prominent aspect clusters for $co_i^{(j)}$ by K-means. We search the value of Z from 1 to $\min(V-2, \frac{V}{2})$, where $V = |co_i^{(j)}|$. The optimal Z achieves the highest silhouette score after clustering.

5.3. Evaluation

In this section, we compare ExtRA with five baseline models both quantitatively and qualitatively.

5.3.1. Quantitative Evaluation

We evaluate our model as well as above baselines on the evaluation dataset described above. We have $H = 5$ human annotators in total. We did not remove the duplicate aspect labels for the qualitative evaluation since the repeated aspects are assumed to be better.

For a given category, we first calculate the percentage of the $H * K$ labels that exactly match one of the K aspect terms generated by the model as the *hard accuracy* of the model. Formally, $Aspects(m) = [a_1, a_2, \dots, a_K]$ denotes the K prominent aspects generated from model m for the given category. $L = [l_1, l_2, \dots, l_{H*K}]$ are the $H * K$ golden aspect terms, where $L^{(h)} = [l_{(h-1)*K+1}, \dots, l_{h*K}]$ are from the h -th annotator. The hard accuracy is defined as:

$$hacc(m) = \frac{\sum_{i=1}^{H*K} hit(Aspects(m), l_i)}{H * K} \quad (10)$$

$$hit(Aspects(m), l_i) = \begin{cases} 1, & l_i \in Aspects(m) \\ 0, & \text{otherwise,} \end{cases} \quad (11)$$

However, counting the number of exact matches makes the accuracy score discrete and coarse. Besides, it penalizes aspect terms that don't match the label but actually have similar meanings.

To remedy this, we propose the *soft accuracy* evaluation measure. We first align each generated aspect $a_k \in Aspects(m)$ with one golden aspect $l_j \in L^{(h)}$ (i.e. $align^{(h)}(a_k) = l_j$). We align the exact match terms together and then choose the optimal alignment for the others by permuting all possible alignments. The optimal alignment $align^{(h)}(a_k)$ achieves maximum soft accuracy.

Then we calculate the soft matching score between $Aspects(m)$ and $L^{(h)}$ as $\sum_{k=1}^K sim(a_k, align^{(h)}(a_k))$, where sim is the cosine similarity computed by Glove [36]. We then compute the soft accuracy measure as follows:

$$sacc(m) = \frac{1}{H} \sum_{h=1}^H \sum_{k=1}^K sim(a_k, align^{(h)}(a_k)), \quad (12)$$

where K could be 5, 7 and 9 in the experiments. We show the hard and soft accuracies in Table 4 under the optimal K for each category. The complete

Table 4: Comparison of *hard* (upper row) & *soft* (lower row) accuracies using different models with optimal K for each category.

	LDA	BTM	MG-LDA	ABAE	RuleExt	ExtRA
hotel	0.360	0.360	0.360	0.120	0.520	0.560
($K = 5$)	0.613	0.625	0.614	0.394	0.704	0.769
mp3	0.089	0.089	0.178	0.000	0.222	0.467
($K = 9$)	0.396	0.402	0.542	0.304	0.547	0.689
cameras	0.178	0.133	0.133	0.133	0.133	0.422
($K = 9$)	0.509	0.485	0.490	0.441	0.507	0.678
mobile phone	0.200	0.200	0.222	0.000	0.333	0.511
($K = 9$)	0.488	0.505	0.524	0.227	0.633	0.701
laptop	0.200	0.044	0.200	0.000	0.200	0.311
($K = 9$)	0.491	0.364	0.504	0.261	0.516	0.630
restaurant	0.257	0.114	0.286	0.000	0.371	0.600
($K = 7$)	0.548	0.403	0.560	0.232	0.627	0.749

comparison results including $K = 5, 7, 9$ for all categories are shown in Figure 6 (hard accuracy) and Figure 7 (soft accuracy). We can see that model ExtRA outperforms all the other baselines in all categories under both hard and soft accuracy measures.




Figure 6: Comparison of hard accuracies on all K s among different categories




Figure 7: Comparison of soft accuracies on all K s among different categories

430 **5.3.2. Qualitative Analysis**

To qualitatively evaluate different models, we present the extracted aspect terms by each model with the number of optimal K from each domain in Table 5.

Our model (ExtRA) has significant advantages over other baselines for that we can do better aspect extraction with reasonable results, and extract not only words but also phrases as prominent aspects, *e.g. battery life*. The proposed model avoid the overlapping aspects appeared in our strong baseline (RuleExt) by implicit deduplication using our grouping algorithm. For example, both *picture* and *photo* are extracted as top aspects in the *cameras* category, but they mean nearly the same concept. In addition, ExtRA generate each prominent aspect associated with a group of supporting terms, expressing the prominent aspect in different ways while traditional baselines can only extract the prominent aspects. Among the baselines, only ABAE could infer such aspect clusters. We further show the effectiveness of ExtRA by comparing aspect clusters with ABAE in Table 6. For simplicity, we show the top terms in each aspect cluster on *hotel*. Each line in Figure 6 represents an aspect cluster, and we highlight the extracted prominent aspect from ExtRA with bold font. We can see that ABAE tends to cluster adjectives and verbs together which is not suitable for the prominent aspect extraction task.

450 **6. Implications**

Our main aim in this study is to address the problem of prominent aspect extraction, which benefits a multitude of downstream applications such

Table 5: The prominent aspect terms for six products and services

hotel ($K = 5$)	LDA	room, breakfast, location, pool, staff
	BTM	room, pool, location, staff, time
	MGLDA	room, breakfast, location, night, staff
	ABAE	room, accommodation, supervisor, divine, tunnel
	RuleExt	room, staff, hotel, location, bed
	ExtRA	room, breakfast, staff, location, price
mp3 ($K = 9$)	LDA	battery, button, work, player, music, video, ipod, quality, software
	BTM	battery, player, ipod, para, screen, work, music, software, headphone
	MGLDA	song, battery, ipod, player, computer, quality, button, software, size
	ABAE	album, tone, middle, dollar, application, birthday, lightweight, buyer, holder
	RuleExt	quality, sound, player, drive, screen, feature, battery, price, software
	ExtRA	<i>quality, sound, screen, control, display, headphone, battery life, price, software</i>
cameras ($K = 9$)	LDA	lens, battery, screen, canon, water, video, mode, problem, quality
	BTM	para, battery, light, canon, lens, video, mode, quality, card
	MGLDA	lens, manual, battery, light, canon, pocket, mode, year, quality
	ABAE	portability, battery, photo, vacation, illinois, lens, mode, device, promotion
	RuleExt	camera, <i>picture, photo</i> , quality, feature, shot, price, image, zoom
	ExtRA	picture, zoom, lens, control, speed, price, battery life, accessory, screen
mobile phone ($K = 9$)	LDA	service, battery, screen, work, music, blackberry, android, price, button
	BTM	para, battery, screen, work, video, android, card, price, time
	MGLDA	battery, quality, screen, work, android, venezuela, card, text, price
	ABAE	flat, descent, kernel, bookmark, month, flagship, shutdown, representation, dealer
	RuleExt	phone, screen, camera, battery, price, quality, feature, picture, app
	ExtRA	camera, quality, price, screen, battery life, accessory, speed, keyboard, reception
laptop ($K = 9$)	LDA	google, apple, windows, screen, price, battery, game, problem, processor
	BTM	google, apple, windows, screen, game, video, problem, port, battery
	MGLDA	windows, screen, work, battery, speaker, keyboard, price, key, software
	ABAE	bridge, cable, twitter, bezel, window, shutdown, opinion, holiday, explanation
	RuleExt	laptop, computer, drive, screen, keyboard, battery, price, machine, feature
	ExtRA	screen, graphic, price, drive, processor, hardware, battery life, system, speed
restaurant ($K = 7$)	LDA	bar, room, service, food, time, pizza, chicken
	BTM	room, food, time, les, das, chicken, work
	MGLDA	star, service, area, food, time, chicken, minute
	ABAE	communication, killer, eatery, wright, chickpea, fireplace, tomorrow
	RuleExt	food, service, place, staff, price, experience, time
	ExtRA	service, food, staff, flavor, atmosphere, selection, location

as aspect-based review summarization. The existing methods mainly focus on fine-grained aspect extraction, which cannot adapt to the problem well.

Table 6: Comparison of aspect clusters for PAE and ABAE on *hotel*.

ABAE	room , bathroom, bed, bedroom, miniscule, ensuite accomodation , solamar, donatello, stay repeatedly, shouted, apologised, supervisor , yelled excellent, great, terrific, awesome, divine , sensational alexanderplatz, loop, tunnel , block
ExtRA	room , dining room, dining experience breakfast , breakfast buffet, buffet staff , reception staff, reception location , place, side, position price , cost bed , linen, furniture, chair, furnishings, bed size service, internet , internet access, shuttle service bathroom , shower, tub, bath pool , pool area, amenity, facility, swimming pool

We propose the ExtRA, an unsupervised and effective system, for generating aspect clusters as well as extracting prominent aspects from product reviews. In Section 5, we demonstrate the effectiveness of the components integrated within ExtRA. The key insight of extracting prominent aspects is that we value the aspect terms according to the popularity (or coverage) and the semantic overlaps with each other. We instantiate the popularity based on the data-driven approach of aspect extraction and utilize the knowledge sources to facilitate the specification of semantic overlaps between aspects. We further demonstrate the usefulness of the proposing strategies and especially that the relation weighting scheme, which is the point for the segmentation of aspect space, values the strength of subsumption relation between aspects based on the typicality score computed using Probase.

7. Conclusion

In this paper, we propose a knowledge empowered as well as unsupervised method ExtRA for extracting the most prominent aspect terms about a type of product or service from user reviews, which benefits both qualitative and quantitative aspect-based review summarization. With the help of WordNet and Probase as the knowledge sources, and by utilizing the proposed algorithms, we can generate reasonable aspect clusters and produce the aspect terms that are both important and non-overlapping. Results show that this approach is more effective than a number of other strong baselines.

Acknowledgements

This work was supported by NSFC grant 61373031 and NSFC-NRF Joint Research Program No. 61411140247.

References

- 480 [1] S. Poria, E. Cambria, L.-W. Ku, C. Gui, A. Gelbukh, A rule-based approach to aspect extraction from product reviews, in: Proc. of the Workshop on Natural Language Processing for Social Media, 2014.
- [2] G. Qiu, B. Liu, J. Bu, C. Chen, Opinion word expansion and target extraction through double propagation, *Computational Linguistics* 37 (1) (2011) 9–27.
- [3] Q. Su, X. Xu, H. Guo, Z. Guo, X. Wu, X. Zhang, B. Swen, Z. Su, Hidden sentiment association in chinese web opinion mining, in: Proc. of WWW, 2008.
- 490 [4] L. Zeng, F. Li, A classification-based approach for implicit feature identification, in: Chinese Computational Linguistics and Natural Language Processing Based on Naturally Annotated Big Data, 2013.
- [5] A. S. Manek, P. D. Shenoy, M. C. Mohan, K. Venugopal, Aspect term extraction for sentiment analysis in large movie reviews using gini index feature selection method and svm classifier, *World wide web* 20 (2) (2017) 135–154.
- [6] A.-D. Vo, Q.-P. Nguyen, C.-Y. Ock, Automatic knowledge extraction for aspect-based sentiment analysis of customer reviews, in: Proceedings of the 10th International Conference on Computer Modeling and Simulation, ACM, 2018, pp. 110–113.
- 500 [7] M. Dragoni, M. Federici, A. Rexha, An unsupervised aspect extraction strategy for monitoring real-time reviews stream, *Information Processing & Management*.
- [8] H. Lakkaraju, C. Bhattacharyya, I. Bhattacharya, S. Merugu, Exploiting coherence for the simultaneous discovery of latent facets and associated sentiments, in: SDM, 2011.
- [9] C. Lin, Y. He, Joint sentiment/topic model for sentiment analysis, in: Proc. of CIKM, 2009.
- [10] H. Wang, Y. Lu, C. Zhai, Latent aspect rating analysis without aspect keyword supervision, in: Proc. of KDD, 2011.
- 510 [11] G. A. Miller, Wordnet: a lexical database for english, *Communications of the ACM* 38 (11) (1995) 39–41.
- [12] W. Wu, H. Li, H. Wang, K. Q. Zhu, Probase: A probabilistic taxonomy for text understanding, in: Proceedings of the 2012 ACM SIGMOD International Conference on Management of Data, ACM, 2012, pp. 481–492.

- [13] T. A. Rana, Y.-N. Cheah, Improving aspect extraction using aspect frequency and semantic similarity-based approach for aspect-based sentiment analysis, in: International Conference on Computing and Information Technology, Springer, 2017, pp. 317–326.
- 520 [14] S. Poria, E. Cambria, A. Gelbukh, Aspect extraction for opinion mining with a deep convolutional neural network, Knowledge-Based Systems 108 (2016) 42–49.
- [15] M. Tubishat, N. Idris, M. A. Abushariah, Implicit aspect extraction in sentiment analysis: Review, taxonomy, opportunities, and open challenges, Information Processing & Management 54 (4) (2018) 545–563.
- [16] W. X. Zhao, J. Jiang, H. Yan, X. Li, Jointly modeling aspects and opinions with a maxent-lda hybrid, in: Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing, Association for Computational Linguistics, 2010, pp. 56–65.
- 530 [17] L. Wang, K. Liu, Z. Cao, J. Zhao, G. de Melo, Sentiment-aspect extraction based on restricted boltzmann machines, in: Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 1: Long Papers), Vol. 1, 2015, pp. 616–625.
- [18] Q. Liu, B. Liu, Y. Zhang, D. S. Kim, Z. Gao, Improving opinion aspect extraction using semantic similarity and aspect associations., 2016.
- [19] W. Wang, S. J. Pan, D. Dahlmeier, X. Xiao, Recursive neural conditional random fields for aspect-based sentiment analysis, CoRR abs/1603.06679. [arXiv:1603.06679](https://arxiv.org/abs/1603.06679).
URL <http://arxiv.org/abs/1603.06679>
- 540 [20] C. Wu, F. Wu, S. Wu, Z. Yuan, Y. Huang, A hybrid unsupervised method for aspect term and opinion target extraction, Knowledge-Based Systems 148 (2018) 66–73.
- [21] W. Wang, S. J. Pan, D. Dahlmeier, X. Xiao, Coupled multi-layer attentions for co-extraction of aspect and opinion terms., in: AAAI, 2017, pp. 3316–3322.
- [22] L. Dong, F. Wei, C. Tan, D. Tang, M. Zhou, K. Xu, Adaptive recursive neural network for target-dependent twitter sentiment classification, in: Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers), Vol. 2, 2014, pp. 49–54.
- 550 [23] D. Tang, B. Qin, X. Feng, T. Liu, Effective lstms for target-dependent sentiment classification, arXiv preprint arXiv:1512.01100.

- [24] Y. Ma, H. Peng, E. Cambria, Targeted aspect-based sentiment analysis via embedding commonsense knowledge into an attentive lstm, in: Proceedings of AAAI, 2018.
- [25] F. Liu, T. Cohn, T. Baldwin, Recurrent entity networks with delayed memory update for targeted aspect-based sentiment analysis, arXiv preprint arXiv:1804.11019.
- [26] S. Gindl, A. Weichselbraun, A. Scharl, Rule-based opinion target and aspect extraction to acquire affective knowledge, in: Proc. of WWW, 2013.
- 560 [27] T. A. Rana, Y.-N. Cheah, A two-fold rule-based model for aspect extraction, Expert Systems with Applications.
- [28] T. Hofmann, Probabilistic latent semantic indexing, in: Proc. of SIGIR, 1999.
- [29] D. M. Blei, A. Y. Ng, M. I. Jordan, Latent dirichlet allocation, Journal of Machine Learning Research.
- [30] M. Shams, A. Baraani-Dastjerdi, Enriched lda (elda): Combination of latent dirichlet allocation with word co-occurrence analysis for aspect extraction, Expert Systems with Applications 80 (2017) 136–146.
- 570 [31] S. Moghaddam, M. Ester, Ilda: interdependent lda model for learning latent aspects and their ratings from online product reviews, in: Proceedings of the 34th international ACM SIGIR conference on Research and development in Information Retrieval, ACM, 2011, pp. 665–674.
- [32] H. Wang, Y. Lu, C. Zhai, Latent aspect rating analysis on review text data: a rating regression approach, in: Proc. of KDD, 2010.
- [33] S. Moghaddam, M. Ester, On the design of lda models for aspect-based opinion mining, in: Proc. of CIKM, 2012.
- [34] I. Titov, R. McDonald, Modeling online reviews with multi-grain topic models, in: WWW, 2008.
- 580 [35] R. He, W. S. Lee, H. T. Ng, D. Dahlmeier, An unsupervised neural attention model for aspect extraction, in: ACL, 2017.
- [36] J. Pennington, R. Socher, C. D. Manning, Glove: Global vectors for word representation, in: Proc. of EMNLP, 2014.
- [37] M. Hu, B. Liu, Mining and summarizing customer reviews, in: Proc. of KDD, 2004.
- [38] Q. Liu, Z. Gao, B. Liu, Y. Zhang, Automated rule selection for aspect extraction in opinion mining., in: IJCAI, Vol. 15, 2015, pp. 1291–1297.

- [39] P. J. Rousseeuw, Silhouettes: a graphical aid to the interpretation and validation of cluster analysis, *Journal of computational and applied mathematics* 20 (1987) 53–65.
- 590 [40] H. Wang, C. Wang, C. Zhai, J. Han, Learning online discussion structures by conditional random fields, in: *SIGIR*, 2011.
- [41] A.-M. Popescu, O. Etzioni, Extracting product features and opinions from reviews, in: *Natural language processing and text mining*, 2007.
- [42] J. Pavlopoulos, I. Androutsopoulos, Aspect term extraction for sentiment analysis: New datasets, new evaluation measures and an improved unsupervised method, *Proceedings of LASMEACL*.
- [43] X. Ding, B. Liu, P. S. Yu, A holistic lexicon-based approach to opinion mining, in: *Proc. WSDM*, 2008.
- 600 [44] G. Ganu, N. Elhadad, A. Marian, Beyond the stars: improving rating predictions using review text content., in: *WebDB*, Vol. 9, Citeseer, 2009, pp. 1–6.
- [45] S. Brody, N. Elhadad, An unsupervised aspect-sentiment model for online reviews, in: *Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics*, Association for Computational Linguistics, 2010, pp. 804–812.
- [46] X. Cheng, X. Yan, Y. Lan, J. Guo, BTM: topic modeling over short texts, *IEEE Trans. Knowl. Data Eng.* 26 (12) (2014) 2928–2941.